

| L<br>Number | Hits  | Search Text   | DB                 | Time stamp       |
|-------------|-------|---|--------------------|------------------|
| 1           | 2     | ("6651191" "6205121" "6611863").pn.and request\$1   | USPAT              | 2004/06/17 11:03 |
| 2           | 1     | ("6741572").pn.and request\$1   | USPAT              | 2004/06/17 11:13 |
| 3           | 1     | ("6741572").pn.and interface\$1   | USPAT              | 2004/06/17 11:13 |
| 4           | 1     | ("6741572").pn.and interface\$3   | USPAT              | 2004/06/17 11:13 |
| 5           | 1     | ("6741572").pn.and interface\$3 and (service adj level or sla)                              | USPAT              | 2004/06/17 11:18 |
| 6           | 1     | ("6741572").pn.and path\$1  | USPAT              | 2004/06/17 11:35 |
| 7           | 0     | ("6205121").pn.and polic\$3   | USPAT              | 2004/06/17 11:39 |
| 8           | 0     | "200060809"   | USPAT;<br>US-PGPUB | 2004/06/17 11:38 |
| 9           | 1     | ("6611863").pn.and polic\$3   | USPAT              | 2004/06/17 11:42 |
| 10          | 0     | ("6205121 6651191 6741572 6611863").pn.and secur\$3 with path\$1                            | USPAT              | 2004/06/17 11:43 |
| 11          | 125   | reserv\$3 with secur\$3 with path\$1  | USPAT              | 2004/06/17 11:43 |
| 12          | 5     | reserv\$3 with secur\$3 with path\$1.ab.  | USPAT              | 2004/06/17 11:43 |
| 13          | 0     | 709/22\$1.ccls. and reserv\$3 with secur\$3 with path\$1                                    | USPAT              | 2004/06/17 11:44 |
| 14          | 150   | 709/22\$1.ccls. and secur\$3 with path\$1   | USPAT              | 2004/06/17 11:44 |
| 15          | 12    | 709/22\$1.ccls. and secur\$3 adj path\$1  | USPAT              | 2004/06/17 11:47 |
| 16          | 1     | 709/22\$1.ccls. and allocat\$3 with secur\$3 adj path\$1                                    | USPAT              | 2004/06/17 11:48 |
| -           | 19136 | network with configurat\$3  | USPAT              | 2004/06/10 11:16 |
| -           | 91    | optimal with network with configurat\$3   | USPAT              | 2004/06/10 11:19 |
| -           | 0     | feedback near15 optimal with network with configurat\$3                                     | USPAT              | 2004/06/10 11:15 |
| -           | 233   | feedback near15 network with configurat\$3  | USPAT              | 2004/06/10 11:19 |
| -           | 0     | feedback near15 network with configurat\$3 near15 traffic                                   | USPAT              | 2004/06/10 11:15 |
| -           | 455   | network with configurat\$3 near15 traffic   | USPAT              | 2004/06/10 11:15 |
| -           | 2228  | network with configurat\$3 with manag\$6  | USPAT              | 2004/06/10 11:16 |
| -           | 550   | network with configurat\$3 with manag\$6 and different with protocol\$1                     | USPAT              | 2004/06/10 11:21 |
| -           | 5     | optimal with network with configurat\$3.ab.   | USPAT              | 2004/06/10 11:18 |
| -           | 0     | close\$loop with network with configurat\$3.ab.   | USPAT              | 2004/06/10 11:18 |
| -           | 0     | closeloop with network with configurat\$3.ab.   | USPAT              | 2004/06/10 11:18 |
| -           | 0     | close with loop with network with configurat\$3.ab.   | USPAT              | 2004/06/10 11:18 |
| -           | 107   | real with time near15 network with configurat\$3  | USPAT              | 2004/06/10 11:19 |
| -           | 3094  | control\$4 near15 network with configurat\$3  | USPAT              | 2004/06/10 11:19 |
| -           | 1149  | configurat\$3 with network with element\$1  | USPAT              | 2004/06/10 11:20 |
| -           | 1     | configurat\$3 with network with element\$1 near15 different with protocol\$1                | USPAT              | 2004/06/10 11:20 |
| -           | 146   | configurat\$3 with network with element\$1 and different with protocol\$1                   | USPAT              | 2004/06/10 11:20 |
| -           | 6     | configurat\$3 with network with element\$1 and convert\$3 near15 different with protocol\$1 | USPAT              | 2004/06/10 11:21 |

|   |       |  |       |                  |
|---|-------|--|-------|------------------|
| - | 15    | network with configurat\$3 with manag\$6 and convert\$3 with different with protocol\$1  | USPAT | 2004/06/10 11:24 |
| - | 41108 | network with configurat\$3 with manag\$6 and convert\$3 with different with protocol\$1 and traffic or topology  | USPAT | 2004/06/10 11:24 |
| - | 25    | network with configurat\$3 near15 traffic.ab.  | USPAT | 2004/06/10 11:25 |
| - | 5     | optimal with network with configurat\$3.ab.  | USPAT | 2004/06/10 16:58 |
| - | 4     | network with configurat\$3 with manag\$6 near15 different with protocol\$1   | USPAT | 2004/06/10 16:59 |
| - | 13    | network with configurat\$3 with manag\$6 and convert\$3 with different with protocol\$1 and (traffic or topology)  | USPAT | 2004/06/10 17:08 |
| - | 0     | network with configurat\$3 with manag\$6 and convert\$3 with different with protocol\$1 and (traffic or topology)And ospf  | USPAT | 2004/06/10 17:07 |
| - | 0     | network with configurat\$3 with manag\$6 and convert\$3 with different with protocol\$1 and ospf   | USPAT | 2004/06/10 17:07 |
| - | 69    | configurat\$3 with device\$1 with different with protocol\$1   | USPAT | 2004/06/10 17:09 |
| - | 21    | configurat\$3 with network with device\$1 with different with protocol\$1  | USPAT | 2004/06/10 17:15 |
| - | 0     | configurat\$3 with network with device\$1 with different with protocol\$1.ab.  | USPAT | 2004/06/10 17:09 |
| - | 0     | configurat\$3 with network with device\$1 with different with protocol\$1 and ospf   | USPAT | 2004/06/10 17:10 |
| - | 0     | configurat\$3 with network with device\$1 with different with protocol\$1 and different with vender\$1   | USPAT | 2004/06/10 17:11 |
| - | 4     | configurat\$3 with network with device\$1 with different with protocol\$1 and different with manufacturer\$1   | USPAT | 2004/06/10 17:15 |
| - | 21    | configurat\$3 with network with device\$1 with different with protocol\$1  | USPAT | 2004/06/10 17:15 |
| - | 0     | configurat\$3 with network with device\$1 with different with protocol\$1 not (configurat\$3 with network with device\$1 with different with protocol\$1 )   | USPAT | 2004/06/10 17:15 |
| - | 69    | configurat\$3 with device\$1 with different with protocol\$1   | USPAT | 2004/06/10 17:16 |
| - | 2     | configurat\$3 with device\$1 with different with protocol\$1.ab.   | USPAT | 2004/06/10 17:15 |
| - | 48    | configurat\$3 with device\$1 with different with protocol\$1 not (configurat\$3 with network with device\$1 with different with protocol\$1 )  | USPAT | 2004/06/10 17:16 |
| - | 17    | configurat\$3 with device\$1 with different with protocol\$1 not (configurat\$3 with network with device\$1 with different with protocol\$1 ) and different with (supplier\$1 or vendor\$1 or manufacturer\$1 or maker\$1)   | USPAT | 2004/06/10 17:20 |
| - | 0     | reconfigurat\$3 with device\$1 with different with protocol\$1 not (configurat\$3 with network with device\$1 with different with protocol\$1 ) and different with (supplier\$1 or vendor\$1 or manufacturer\$1 or maker\$1) | USPAT | 2004/06/10 17:20 |
| - | 1     | reconfigurat\$3 with device\$1 with different with protocol\$1 not (configurat\$3 with network with device\$1 with different with protocol\$1 )  | USPAT | 2004/06/10 17:21 |
| - | 1     | reconfigurat\$3 with device\$1 with different with(protocol\$1 or supplier\$1 or vendor\$1 or manufacturer\$1 or maker\$1) not (configurat\$3 with network with device\$1 with different with protocol\$1 )                  | USPAT | 2004/06/10 17:21 |

|   |       |   |       |                     |
|---|-------|---|-------|---------------------|
| - | 2     | ("6108781" "6148337").pn.   | USPAT | 2004/06/11<br>16:27 |
| - | 6453  | 709/22\$1.ccls.   | USPAT | 2004/06/14<br>10:57 |
| - | 117   | 709/22\$1.ccls.and convert\$3 with<br>instruction\$1  | USPAT | 2004/06/14<br>10:58 |
| - | 32    | 709/22\$1.ccls.and receiv\$3 near15<br>convert\$3 with instruction\$1   | USPAT | 2004/06/14<br>11:01 |
| - | 1     | 709/22\$1.ccls.and receiv\$3 near15<br>convert\$3 with instruction\$1.ab.   | USPAT | 2004/06/14<br>11:00 |
| - | 3     | 709/22\$1.ccls.and receiv\$3 near15<br>convert\$3 with instruction\$1 and<br>different with (vendor\$1 or supplier\$1 or<br>maker\$1 or manufacturer\$1)                  | USPAT | 2004/06/14<br>11:05 |
| - | 8     | 709/22\$1.ccls.and convert\$3 with<br>instruction\$1 and different with<br>(vendor\$1 or supplier\$1 or maker\$1 or<br>manufacturer\$1)                                   | USPAT | 2004/06/14<br>11:05 |
| - | 0     | 709/22\$1.ccls.and convert\$3 with<br>instruction\$1 near15 configur\$6 and<br>different with (vendor\$1 or supplier\$1 or<br>maker\$1 or manufacturer\$1)                | USPAT | 2004/06/14<br>11:06 |
| - | 8     | 709/22\$1.ccls.and convert\$3 with<br>instruction\$1 near15 configur\$6   | USPAT | 2004/06/14<br>11:15 |
| - | 214   | convert\$3 with instruction\$1 near15<br>configur\$6  | USPAT | 2004/06/14<br>15:41 |
| - | 11    | convert\$3 with instruction\$1 near15<br>configur\$6.ab.  | USPAT | 2004/06/14<br>11:16 |
| - | 11    | 709/\$3.ccls. and convert\$3 with<br>instruction\$1 near15 configur\$6  | USPAT | 2004/06/14<br>15:43 |
| - | 12    | convert\$3 with instruction\$1 near15<br>configur\$6 and different with (vendor\$1<br>or supplier\$1 or maker\$1 or<br>manufacturer\$1)                                   | USPAT | 2004/06/14<br>15:46 |
| - | 9     | convert\$3 with instruction\$1 and<br>configur\$6 near15 different with<br>(vendor\$1 or supplier\$1 or maker\$1 or<br>manufacturer\$1)                                   | USPAT | 2004/06/14<br>15:48 |
| - | 50    | convert\$3 with instruction\$1 and<br>configur\$6 near15 traffic  | USPAT | 2004/06/14<br>16:18 |
| - | 172   | convert\$3 with instruction\$1 near15<br>(devices or elements) and configur\$6  | USPAT | 2004/06/14<br>16:21 |
| - | 60471 | convert\$3 with instruction\$1 near15<br>devices or elements near15 configur\$6   | USPAT | 2004/06/14<br>16:19 |
| - | 5     | convert\$3 with instruction\$1 near15<br>(devices or elements) near15 configur\$6   | USPAT | 2004/06/14<br>16:20 |
| - | 6     | convert\$3 with instruction\$1 near15<br>(devices or elements).ab. and configur\$6  | USPAT | 2004/06/14<br>16:21 |
| - | 9     | 709/2\$2.ccls. and convert\$3 with<br>instruction\$1 near15 (devices or<br>elements)and configur\$6   | USPAT | 2004/06/14<br>16:27 |
| - | 0     | 709/2\$2.ccls. and convert\$3 with<br>instruction\$1 near15 (devices or<br>elements)and configur\$6 near15 traffic\$1   | USPAT | 2004/06/14<br>16:22 |
| - | 0     | 709/\$3.ccls. and convert\$3 with<br>instruction\$1 near15 (devices or<br>elements)and configur\$6 near15 traffic\$1  | USPAT | 2004/06/14<br>16:22 |
| - | 1     | convert\$3 with instruction\$1 near15<br>(devices or elements)and configur\$6<br>near15 traffic\$1  | USPAT | 2004/06/14<br>16:22 |
| - | 53    | convert\$3 with configur\$6 near15<br>(devices or elements).ab.   | USPAT | 2004/06/14<br>16:28 |
| - | 30    | 709/2\$2.ccls. and convert\$3 with<br>configur\$6 near15 (devices or elements)  | USPAT | 2004/06/14<br>16:29 |
| - | 16    | 709/22\$1.ccls. and convert\$3 with<br>configur\$6 near15 (devices or elements)   | USPAT | 2004/06/14<br>16:29 |
| - | 0     | convert\$3 with configur\$6 near15<br>(devices or elements)near15 traffic.ab.<br>not (709/2\$2.ccls. and convert\$3 with<br>configur\$6 near15 (devices or elements)<br>) | USPAT | 2004/06/14<br>16:35 |

|   |     |   |       |                  |
|---|-----|---|-------|------------------|
| - | 0   | convert\$3 with configur\$6 near15 (devices or elements)near15 different with (protocol\$1 or manufacturer\$1 or vendor\$1 or supplier\$1 or maker\$1).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements) ) | USPAT | 2004/06/14 16:36 |
| - | 52  | convert\$3 with configur\$6 near15 (devices or elements).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements) )   | USPAT | 2004/06/14 17:14 |
| - | 0   | 709/\$3.ccls. and convert\$3 with configur\$6 near15 (devices or elements).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements) )   | USPAT | 2004/06/14 17:12 |
| - | 52  | convert\$3 with configur\$6 near15 (devices or elements).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements) ) and configur\$6   | USPAT | 2004/06/14 17:14 |
| - | 1   | 6611863.pn. and configur\$6   | USPAT | 2004/06/15 17:42 |
| - | 171 | generat\$3 with configur\$6 with traffic\$1   | USPAT | 2004/06/15 17:43 |
| - | 32  | 709/22\$1.ccls. and generat\$3 with configur\$6 with traffic\$1   | USPAT | 2004/06/15 17:44 |
| - | 3   | 709/22\$1.ccls. and generat\$3 with configur\$6 with traffic\$1.ab.   | USPAT | 2004/06/15 17:46 |
| - | 22  | 709/22\$1.ccls. and (reconfigur\$6 or configur\$6) with traffic\$1.ab.  | USPAT | 2004/06/15 17:47 |
| - | 19  | 709/22\$1.ccls. and (reconfigur\$6 or configur\$6) with traffic\$1.ab.not (709/22\$1.ccls. and generat\$3 with configur\$6 with traffic\$1.ab.)   | USPAT | 2004/06/15 17:51 |
| - | 2   | 709/22\$1.ccls. and (reconfigur\$6 or configur\$6) with bas\$2 with traffic\$1.ab.not (709/22\$1.ccls. and generat\$3 with configur\$6 with traffic\$1.ab.)   | USPAT | 2004/06/15 17:54 |
| - | 0   | (instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with bas\$2 with traffic\$1.ab.  | USPAT | 2004/06/15 17:55 |
| - | 2   | (instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with traffic\$1.ab.  | USPAT | 2004/06/15 17:55 |
| - | 118 | (instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with traffic\$1  | USPAT | 2004/06/15 18:04 |
| - | 248 | dynamic\$6 near15(reconfigur\$6 or configur\$6) with traffic\$1   | USPAT | 2004/06/15 18:03 |
| - | 29  | 709/22\$1.ccls. and dynamic\$6 near15(reconfigur\$6 or configur\$6) with traffic\$1   | USPAT | 2004/06/15 18:03 |
| - | 27  | 709/22\$1.ccls. and dynamic\$6 near15(reconfigur\$6 or configur\$6) with traffic\$1 not ((instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with traffic\$1)  | USPAT | 2004/06/15 18:08 |
| - | 4   | network with configurat\$3.ti. and network near15 traffic.ab.   | USPAT | 2004/06/16 12:53 |
| - | 1   | traffic with configurat\$3.ti. and network near15 traffic.ab.   | USPAT | 2004/06/16 12:56 |
| - | 0   | configurat\$3 near15 traffic with demand\$1.ab.   | USPAT | 2004/06/16 12:57 |
| - | 19  | configurat\$3 near15 traffic with demand\$1   | USPAT | 2004/06/16 12:57 |
| - | 10  | configurat\$3 near15 bas\$3 near15 traffic.ab.  | USPAT | 2004/06/16 13:00 |
| - | 3   | configurat\$3 near15 bas\$3 near15 traffic with demand\$1   | USPAT | 2004/06/16 12:59 |

|   |       |   |       |                  |
|---|-------|---|-------|------------------|
| - | 9     | configur\$6 near15 bas\$3 near15 traffic with demand\$1   | USPAT | 2004/06/16 13:00 |
| - | 0     | configurat\$3 with (instruction\$1 or command\$1) near15 bas\$3 near15 traffic.ab.  | USPAT | 2004/06/16 13:01 |
| - | 0     | configur\$6 with (instruction\$1 or command\$1) near15 bas\$3 near15 traffic.ab.  | USPAT | 2004/06/16 13:01 |
| - | 6     | configur\$6 with (instruction\$1 or command\$1) near15 bas\$3 near15 traffic  | USPAT | 2004/06/16 13:40 |
| - | 10634 | request\$3 near15 configur\$6   | USPAT | 2004/06/16 13:41 |
| - | 104   | request\$3 near15 configur\$6 near15 traffic  | USPAT | 2004/06/16 13:41 |
| - | 1     | request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency) and rsvp  | USPAT | 2004/06/16 14:09 |
| - | 0     | request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency) and rsvp and sla  | USPAT | 2004/06/16 13:44 |
| - | 0     | request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency) and rsvp and service\$1 with agreement\$1   | USPAT | 2004/06/16 13:45 |
| - | 2     | rsvp-te   | USPAT | 2004/06/16 13:46 |
| - | 2     | rsvp-te not (request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency))   | USPAT | 2004/06/16 13:46 |
| - | 0     | rsvp-te not (request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency)) and sla   | USPAT | 2004/06/16 13:46 |
| - | 38    | request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency)   | USPAT | 2004/06/16 13:51 |
| - | 1     | 6651191.pn.   | USPAT | 2004/06/16 14:06 |
| - | 0     | 6651191.URPN.   | USPAT | 2004/06/16 13:54 |
| - | 12    | ("4756019"   "5577198"   "5594792"   "5696486"   "5726979"   "5907696"   "6314531"   "6317788"   "6360332"   "6381604"   "6470464"   "6556659").PN.   | USPAT | 2004/06/16 13:59 |
| - | 4     | ("4756019"   "5577198"   "5594792"   "5696486"   "5726979"   "5907696"   "6314531"   "6317788"   "6360332"   "6381604"   "6470464"   "6556659").PN. and polic\$4  | USPAT | 2004/06/16 13:55 |
| - | 0     | ("4756019"   "5577198"   "5594792"   "5696486"   "5726979"   "5907696"   "6314531"   "6317788"   "6360332"   "6381604"   "6470464"   "6556659").PN. and (before or prior)near10 (translat\$3 or convert\$3) | USPAT | 2004/06/16 14:00 |
| - | 490   | test\$3 with polic\$3   | USPAT | 2004/06/16 14:00 |
| - | 1     | test\$3 with polic\$3 near15 (prior or before) near15 (translat\$3 or convert\$3)   | USPAT | 2004/06/16 14:01 |
| - | 2     | ("6611863" "6651191" "6205121").pn. and request\$3  | USPAT | 2004/06/16 14:10 |
| - | 2     | ("6611863" "6651191" "6205121").pn. and (request\$3 or sla or rsvp)   | USPAT | 2004/06/16 14:12 |
| - | 0     | ("6611863" "6651191" "6205121").pn. and (rsvp)  | USPAT | 2004/06/16 14:12 |
| - | 0     | ("6611863" "6651191" "6205121").pn. and sla   | USPAT | 2004/06/16 14:12 |
| - | 1     | ("6611863" "6651191" "6205121").pn. and service\$1 with agreement\$1  | USPAT | 2004/06/16 14:13 |
| - | 111   | request\$3 with (service\$1 with agreement\$1 or sla)   | USPAT | 2004/06/16 14:14 |
| - | 0     | request\$3 with (service\$1 with agreement\$1 or sla) near15 rsvp   | USPAT | 2004/06/16 14:14 |

|   |      |   |       |                  |
|---|------|---|-------|------------------|
| - | 11   | request\$3 with (service\$1 with agreement\$1 or sla) and rsvp and path\$1                                | USPAT | 2004/06/16 14:15 |
| - | 0    | request\$3 with (service\$1 with agreement\$1 or sla) and rsvp and private with path\$1                   | USPAT | 2004/06/16 14:14 |
| - | 11   | request\$3 with (service\$1 with agreement\$1 or sla) and rsvp and path\$1 and traffic                    | USPAT | 2004/06/16 14:15 |
| - | 14   | request\$3 with (service\$1 with agreement\$1 or sla) and rsvp  | USPAT | 2004/06/16 14:20 |
| - | 14   | request\$3 with (service\$1 with agreement\$1 or sla) and rsvp and bandwidth                              | USPAT | 2004/06/16 15:57 |
| - | 2559 | (service\$1 with agreement\$1 or sla)   | USPAT | 2004/06/16 15:58 |
| - | 0    | (service\$1 with agreement\$1 or sla)near15 reserv\$6 with private with path\$1                           | USPAT | 2004/06/16 15:58 |
| - | 0    | (service\$1 with agreement\$1 or sla)near15 reserv\$6 with path\$1 and private with path\$1               | USPAT | 2004/06/16 15:59 |
| - | 0    | (service\$1 with agreement\$1 or sla)near15 reserv\$6 with path\$1 and secure with path\$1                | USPAT | 2004/06/16 15:59 |
| - | 51   | (service\$1 with agreement\$1 or sla)near15 path\$1   | USPAT | 2004/06/16 15:59 |
| - | 2    | (service\$1 with agreement\$1 or sla)near15 path\$1 and private with path\$1 and addition\$2 with path\$1 | USPAT | 2004/06/16 16:00 |
| - | 6    | (service\$1 with agreement\$1 or sla)near15 path\$1 and private with path\$1                              | USPAT | 2004/06/16 16:00 |
| - | 5    | (service\$1 with agreement\$1 or sla)near15 reserv\$6 with path\$1  | USPAT | 2004/06/16 16:03 |
| - | 36   | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1                                  | USPAT | 2004/06/16 16:03 |
| - | 0    | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with private with path\$1                     | USPAT | 2004/06/16 16:04 |
| - | 0    | (service\$1 adj level adj agreement\$1 or sla)and (reserv\$6 or allocat\$3) with private with path\$1     | USPAT | 2004/06/16 16:04 |
| - | 0    | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1 and private adj path\$1          | USPAT | 2004/06/16 16:04 |
| - | 0    | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1 and private with path\$1         | USPAT | 2004/06/16 16:04 |
| - | 36   | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1                                  | USPAT | 2004/06/16 16:06 |
| - | 12   | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1 and addition\$2 with path\$1     | USPAT | 2004/06/16 16:07 |
| - | 0    | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1 and addition\$2 adj path\$1      | USPAT | 2004/06/16 16:08 |
| - | 36   | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1 and path\$1                      | USPAT | 2004/06/16 16:09 |
| - | 15   | (service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with paths and path\$1                        | USPAT | 2004/06/16 16:09 |